

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



C-series		Lengths	Euro's
	<b>C-Line Analogue RCA</b> Yearly What Hi-Fi? Award winner from 2015-2023! Oxygen-free copper multi-stranded conductors (signal, return and Aray). High flexibility, low density conductor insulation. Over-wrapped foil shielding. Over-moulded Chord RCA plugs with direct gold-plated contact areas for enhanced signal transfer. Turntable compatible	0,5m 1m 2m 3m	69,9 79,9 109 139
	<b>C-Jack</b> The Chord C-Jack is designed to work with all line-level components: mobile players, phones, laptops, cd-players, streaming devices & amplifiers. This cable benefits from the same design principles as the award winning C-Line analogue interconnect cable. Available as 3.5mm mini-jack to 3.5mm mini-jack and 2 RCA to mini-jack 3.5mm	0,75m 1m 1,5m 3m	69,90 79,90 99,90 139
	<b>C-Sub RCA subwoofer</b> Discreet, multi-strand, tinned copper signal conductor, with low resistance to enable longer lengths. Overlapped screen for increased flexibility, reduced signal loss caused by high-frequency interference. Unique gold plating RCA plug improves signal transfer. Over moulded plug surround provides high reliability.	3m 6m 8m 10m	69,90 119 149 179
	<b>C-Digital RCA</b> ARAY conductor geometry, oxygen free copper conductors, High density over-wrapped foil shielding. Unique direct gold-plated RCA plug improves signal transfer. Over-moulded plug surround provides high reliability and zero conductor compression	0,5m 1m	69,90 79,90
	<b>C-Lite optical</b> From pocket-size portable up to longer lengths for use in home systems. Wide bandwidth PMA optical cable with polished ends to improve bandwidth. Central conductor protected by soft PVC internal jacket. with a hard PVC outer jacket limiting crush damage, yet flexible enough to allow a tight bend radius without affecting the light-carrier. Available: Toslink to Toslink, Toslink to mini-jack (all lengths) and mini-jack to mini-jack ( 15cm and 30cm only)	15cm 30cm 1m 2m 3m 5m 8m 10m	69,90 69,90 79,90 89,90 99,90 109 129 139
	<b>C-USB</b> Heavy gauge, oxygen-free, silver plated conductors. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration. Dual layer, High frequency effective shielding. Gold-plated plug and signal pins. USB-A to USB-B	0,75m 1,5m 3m 5m	79,90 99,90 139 199
	<b>C-Stream</b> For audio streaming systems requiring cables with RJ45 connectors. Oxygen-free copper conductors with low density polyethylene insulation, each conductor pair is separately shielded and an overall high density foil shield is applied prior to a vibration-damping outer jacket.	0,75m 1,5m 3m 5m 10m 15m 20m	79,90 89,90 109 139 219 299 379
	<b>C-View HDMI</b> The C-view HDMI cable is a cost-effective, high-performance display connection featuring heavily-shielded copper conductors and is available in lengths of 0,75m, 1m, 1,5m, 2m and 3m. C-view HDMI benefits from a 48GBps bandwidth with a resolution of 8K at 60hz, or 4k at 120hz. It supports Dynamic HDR, HDCP2.3, eARC, 3D and all HDMI audio formats. Chord Company C-view HDMI is a certified Ultra High Speed HDMI Cable	0,75m 1m 1,5m 2m 3m	49,90 49,90 59,90 69,90 79,90
	<b>C-ScreenX Speaker cable</b> A discreet and easy to fit cable, but with the performance benefits of shielding C-screenX is just 7mm in diameter and flexible enough to route around corners with ease. Now featuring improved XLPE insulation, it joins the award winning line-up of Chord Company shielded speaker cables. *Pair price includes 4mm banana on both sides, trousers and labour. 50 and 100m Reels available. Spades at extra cost.	1,5m pair 2m pair 3m pair 4m pair 5m pair mono m spade p.p. termination costs	189 199 229 249 279 19,90 6,99 139

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



Clearway		Lengths	Euro's
	<p><b>ClearwayX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/3.5mm</b></p> <p>ClearwayX is hand built in the UK. ClearwayX features our latest enhanced ARAY geometry and shielding systems. Now featuring XLPE insulation and ChorAlloy™ plated VEE3 RCA, DIN, mini-jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. What Hi-Fi? Award Winner from 2017 to 2023 yearly! - Best analogue Interconnect £ 100+</p>	<p>0,5m</p> <p>1m</p> <p>Extra M.</p> <p>TT Fly lead</p> <p>1,2m</p>	<p>129</p> <p>159</p> <p>49,90</p> <p>219</p>
	<p><b>ClearwayX subwoofer RCA</b></p> <p>The same award-winning Clearway specification and ARAY geometry. Ideal subwoofer cable for mid-range surround/multi-channel systems. Fitted with ChorAlloy™ plated VEE3 RCA plugs and upgraded with the latest XLPE insulation. Custom terminations and lengths available.</p>	<p>3m</p> <p>5m</p> <p>7m</p> <p>Extra M.</p>	<p>139</p> <p>209</p> <p>259</p> <p>29,9</p>
	<p><b>ClearwayX Analogue XLR</b></p> <p>ClearwayX analogue XLR pair is fitted with Neutrik plugs containing Chord Company ChorAlloy™ plated connector pins and features our unique ARAY conductor configuration. The design benefits from identical conductors for the hot, cold and earth connections</p>	<p>0,5m</p> <p>1m</p> <p>Extra M.</p>	<p>209</p> <p>239</p> <p>59,9</p>
	<p><b>Clearway Digital Coax RCA / RCA-Mini-Jack / BNC</b></p> <p>Tuned ARAY conductor configuration. Clearway Digital is fitted with ChorAlloy™ plated Chord Company VEE 3 RCA plugs, BNC connectors and/or mono mini-jacks to suit mini/portable DAC's etc.</p>	<p>0,5m RCA/MJ</p> <p>1m RCA/MJ</p> <p>1m BNC-BNC</p> <p>Extra M.</p> <p>1m 2BNC-MiniJack</p>	<p>129</p> <p>159</p> <p>159</p> <p>59,90</p> <p>329</p>
	<p><b>Clearway USB</b></p> <p>The enhanced shield design employs double foil and high-density braid giving extra protection for the signal transfer and reducing the transmission of noise between the connected components. Like the other cables in the Clearway range it has a notably transparent sound and carries digital signals with a high degree of accuracy</p>	<p>0,75m</p> <p>1,5m</p> <p>3m</p> <p>5m</p>	<p>149</p> <p>199</p> <p>289</p> <p>399</p>
	<p><b>Clearway Streaming</b></p> <p>Clearway streaming cable has been designed to virtually eliminate the pickup of external high-frequency noise that can interfere with your enjoyment of streamed digital audio and video. Noise can find its way into the signal grounds and affect the performance of both digital and analogue circuits. Although the digital information is very robust this unwanted noise can compromise the final performance</p>	<p>0,75m</p> <p>1,5m</p> <p>3m</p> <p>5m</p> <p>10m</p> <p>15m</p> <p>20m</p>	<p>149</p> <p>179</p> <p>219</p> <p>279</p> <p>439</p> <p>599</p> <p>749</p>
	<p><b>Clearway HDMI</b></p> <p>Highly shielded HDMI cable with Ethernet/audio return, nickel-shielded plugs, increased bandwidth and thicker high-quality copper conductors coated with a skin/foamed polyethylene insulation. Clearway HDMI supports 10K at 30Hz, 8K at 60Hz, 4K at 120Hz, 48GBps, Dynamic HDR, HDCP2.2, eARC, 3D and all HDMI audio formats</p>	<p>0,75m</p> <p>1,5m</p> <p>2m</p> <p>3m</p> <p>5m</p> <p>8m</p> <p>10m</p>	<p>89,90</p> <p>119</p> <p>129</p> <p>159</p> <p>219</p> <p>309</p> <p>369</p>
	<p><b>ClearwayX speaker cable</b></p> <p>What Hi-Fi? Best Speaker Cable award for many years. 14 AWG multi-strand oxygen-free copper conductors. XLPE insulation. Conductors arranged in twisted-pair configuration. Soft PVC internal jacket and twin contra-wound foil shields to protect from high-frequency noise. Available with ChordOhmic speaker connectors featuring our latest ChorAlloy™ plating. Reels 50m. *Pair includes standard 4mm banana on both sides, trousers and labour. Spades at extra cost.</p>	<p>2m pair*</p> <p>3m pair*</p> <p>mono m.</p> <p>spade extra</p> <p>price per piece</p> <p>labour costs</p>	<p>249</p> <p>299</p> <p>29,90</p> <p>6,99</p> <p>139</p>

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)



Clearway		Lengths	Euro's
	<b>Clearway Power Cable EU</b>		
	Chord Company Clearway Power is the perfect first stage power supply upgrade for any level of system. Clearway Power is a unique Chord Company design, hand-built and rigorously tested in the UK. The unique and highly effective dual-foil screen, combined with the high-purity multistrand copper conductors and high-spec plugs has allowed us to offer an impressive level of performance at an affordable price. Available with C7 (figure 8) C13 (10 Amp) and C19 (16 Amp) connector. Powerhaus uses C19.	1m	159
		1,5m	189
		2m	219
		3m	279
		FIG8 1m	219
		FIG8 1,5m	249
		FIG8 2m	279
		FIG8 3m	339
	Extra m.	69,90	

\*available in other lengths on request

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



Shawline		Lengths	Euro's
	<p><b>ShawlineX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm</b> Unique Tuned ARAY technology. Upgraded with the latest XLPE-insulated silver-plated conductors. Multiple shielding material works over a wide bandwidth and reduces noise. ChorAlloy™ plated VEE 3 RCA, DIN, mini-jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. 2 RCA to stereo minijack version also available. DIN is well suited for Naim and Quad systems</p>	<p>0,5m 1m Extra M. TT Fly lead 1,2m</p>	<p>259 329 129 369</p>
	<p><b>ShawlineX Aray Analogue Subwoofer</b> Silver-plated conductors, upgraded with the latest XLPE-insulation and high-frequency effective, multi-layer shield. Fitted with ChorAlloy™ plated VEE 3 RCA plugs. Features Tuned ARAY conductors geometry.</p>	<p>3m 5m 7m Extra M.</p>	<p>279 399 519 59</p>
	<p><b>ShawlineX ARAY Analogue XLR</b> All Tuned ARAY cables require a high degree of precision, only achieved with painstaking hand assembly. The upside of this process is that it allows us to add the extra conductors needed to build an exceptional XLR cable. Now upgraded with XLPE-insulation and ChorAlloy™ plated connector pins.</p>	<p>0,5m 1m Extra M.</p>	<p>419 479 119</p>
	<p><b>Shawline Digital RCA / BNC / USB</b> Hearing what the bass and drums are doing is great, but it's pointless if they're not doing it together. The Shawline Digital brings coherence to the detail. A redesign of Shawline Analogue, but with the same Tuned ARAY conductor configuration. Fitted with ChorAlloy™ plated plugs.</p>	<p>0,5m 1m Extra M. 1m 2BNC-MiniJack Extra M.</p>	<p>259 329 129 649 249</p>
	<p><b>Shawline Streaming</b> High-speed, silver-plated copper conductors. Individually shielded twisted conductor pairs with overall shield. FEP insulation. 24ct. Gold-plated signal contacts. Over-moulded zinc plug surround.</p>	<p>0,75m 1,5m 3m 5m</p>	<p>299 349 449 569</p>
	<p><b>Shawline HDMI</b> Shawline HDMI AOC uses a high-quality chipset at both ends of the cable and the highest OM3 grade (over 10 Gigabit bandwidth). Alongside the full 4K/8K HDR picture quality, this premium high-speed cable benefits from improved audio performance and is heavily shielded against HF Noise.</p>	<p>1m 2m 3m 5m 8m 10m 15m 20m</p>	<p>249 259 269 289 329 359 419 489</p>
	<p><b>ShawlineX speaker cable</b> Silver-plated, 16 AWG oxygen-free copper. Similar spec to the famous Chord RumourX, but enhanced with high-density, dual-layer shielding, LSOH internal jacket and PVC outer jacket to reduce mechanical noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors featuring our latest ChorAlloy™ plating. Reels 50m. *Pair includes standard 4mm banana on both sides, trousers and labour. Spades at extra cost.</p>	<p>2m pair* 3m pair* mono m. spade extra price per piece labour costs</p>	<p>349 449 49,90 6,99 139</p>
	<p><b>Shawline Power EU</b> A high-specification mains cable design that evolved from the previous Power Chord now featuring an improved, thicker stranded conductor. The shielding also benefits from a redesigned, higher gauge braid wire. Also available in custom lengths. European mains plug available with C7 (figure 8) C13 (10 Amp) and C19 (16 Amp). Powerhaus uses C19.</p>	<p>1m 1,5m 2m FIG8 1m FIG8 1,5m FIG8 2m Extra m</p>	<p>319 389 449 389 449 499 129</p>

\*available in other lengths on request

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



Epic		Lengths	Euro's
	<b>EpicX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm</b> EpicX ARAY features our unique ARAY conductor technology, the latest XLPE insulation fitted with ChorAlloy™ plated VEE 3 RCA Plugs. EpicX Aray is built from heavy gauge silver-plated, multi-strand, oxygen-free copper conductors. Detailed performance, but conveys the extra information with coherence. Genuinely musical and involving sound.	0,5m 1m Extra Meters TT Fly lead 1,2m	519 649 249 749
	<b>EpicX ARAY Analogue Subwoofer</b> High-quality subwoofer cable now featuring XLPE insulation and ChorAlloy™ plated VEE 3 RCA Plugs. Custom lengths and terminations to order. Designed to complete the Epic range and enhance any high-spec music/TV/movie/game/multichannel system. Built by hand at the Chord Company with unique ARAY conductor geometry.	3m 5m 7m Extra Meters	569 829 1089 129
	<b>EpicX ARAY Analogue XLR</b> Hand-built with the same XLPE insulated internal conductors as EpicX RCA. Designed to include an extra conductor to produce the optimum (neutral, transparent) performance for XLR-fitted equipment. XLR connectors with ChorAlloy™ plated connector pins.	0,5m 1m Extra Meters	819 949 249
	<b>Epic Digital RCA / BNC / XLR (AES-EBU)</b> Silver-plated, Tuned ARAY conductors and dual foil screen. Listen for better state of rhythm and the critical micro details that mean so much to music. Fitted with ChorAlloy™ plated RCA, BNC or XLR connectors.	0,5m 1m Extra Meters	519 649 249
	<b>Epic USB</b> Benefits from the unique Chord Co Tuned ARAY conductor technology and enhanced screening/shielding materials that help to reduce interference. This cable also benefits from refined USB connectors (Type A and B), ChorAlloy™ plated to our specifications in the UK, with all connections soldered by our engineers.	1m Extra Meters	649 249
	<b>Epic Streaming</b> Developed for and tested with digital audio streamers. High-quality silver-plated conductors, high-speed insulation materials, high-density separate pair/overall shielding. Tuned ARAY conductor geometry. Precision RJ45 connectors, modified to allow direct soldering of conductors to contact pins.	1m Extra Meters	649 129
	<b>EpicX speaker cable</b> Based on the multi-award-winning Chord Odyssey speaker cable. 12 AWG oxygen-free copper negative and positive conductors, silver-plated and insulated with XLPE. High-frequency combination shield of overlapped high-density foil and tight-weave metal braid. Outer PVC jacket provides mechanical damping. Available with ChordOhmic speaker connectors that benefit from our latest ChorAlloy™ plating. Reels 50m. *Pair includes standard 4mm banana on both sides, trouser labour. Spades at extra cost.	2m pair* 3m pair* Extra Mono m. Spade extra labour costs	549 749 99 6,99 139
	<b>EpicXL speaker cable</b> Similar spec to EpicX, but further enhanced with separately shielded positive and negative conductors. Optimum twist applied before secure clamping. Built to order terminated sets. Every set of EpicXL speaker cable is built to order and terminated at our UK factory with ChordOhmic plugs with ChorAlloy™ plating. Available with 4mm banana plugs or spade connectors. Separately available: Speaker Links Spade to Banana 28cm	2m pair 3m pair 5m pair Extra Mono m. Speaker Links 28 cm	999 1499 2499 249 189
	<b>Epic Power Cable EU</b> Chord Company Epic Power is a high-specification mains cable for hi-fi and audiovisual systems. Hand-built in the UK, the design incorporates our unique ARAY conductor technology and is available fitted with high-spec 10 or 16 amp IEC or FIG 8 connectors and Euro mains connectors	1m 1,5m 2m FIG8 1m FIG8 1,5m Extra Meters	649 769 899 699 839 249

\*available in other lengths on request

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



Signature		Lengths	Euro's
	SignatureX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm A design perfected for 25 years, continuous development and taking advantage of latest technological improvements keep it at the cutting edge. Separately shielded silver-plated conductors. Tuned Array conductor geometry. Dual layer foil and high density braid. Performance Chord PTFE plug surrounds. Connectors feature the latest ChorAlloy™ plating. Tonearm version available with straight or right-angle plug.	1m Extra Meters TT Fly lead 1,2m	1299 649 1449
	SignatureX ARAY Analogue Subwoofer Dedicated Signature subwoofer cable designed with all the technology of the analogue Signature range. Designed for mid-to-high-end surround systems. Available to order in custom lengths and a variety of terminations.	3m Extra Meters	1299 319
	SignatureX Tuned ARAY Analogue XLR Two signal wires carry the hot (in phase) and cold (out of phase) signals, with a third identical conductor to carry the earth/return signal. This takes the shield out of the circuit, reducing unwanted interference. Now featuring XLPE insulation and ChorAlloy™ contact plating	1m Extra Meters	1949 949
	Signature Digital RCA / BNC / XLR (AES-EBU) Super ARAY conductor geometry. Fitted with PTFE RCA plug surrounds and/or high quality 75ohm BNC Plugs. AES/EBU version also available. Ultra low mass ChorAlloy™ plated RCA connectors with machined PTFE plug surround.	1m Extra Meters	1299 649
	Signature Super ARAY USB Four separately shielded, silver-plated bi-conductors, insulated with PE/LDPE/PTFE. Fitted with dual layer high frequency effective shielding and Super ARAY conductor geometry. USB plugs are ChorAlloy™ plated to our specification in the UK.	1m Extra Meters	1299 649
	Signature Streaming Precision RJ45 connectors (gold plated contacts and soldered conductors) are used along with the unique hard skin insulation. Heavy gauge silver-plated conductors and an effective shielding system. Super ARAY geometry developed for streaming cables.	1m Extra Meters	1299 249
	SignatureXL speaker cable The latest version of what was our first shielded speaker cable. An instant success when launched. Individually shielded, silver-plated high-purity oxygen-free copper conductors, XLPE insulation, twisted and clamped. Built to order in terminated sets. Standard colours are red and black or all-black. Built with factory-fitted ChordOhmic 4mm banana plugs or ChordOhmic spades with ChorAlloy™ plating	2m pair* 3m pair* 5m pair* Extra Mono m	1999 2999 4999 499
	Signature Speaker Links Designed to replace the pressed-metal versions used to bridge inputs on bi-wired speakers. Easy to fit and can bring startling improvements to sound quality. Design is based closely on Chord Signature speaker cable but will work with any speaker cable. Featuring the ChordOhmic plugs with ChorAlloy™ plating. Available with 4x spade to 4mm banana or 4x spade to spade. Length 200mm.	spade 2 4mm spade 2 spade price includes 4 links	399
	SignatureX Power Cable EU SignatureX Power Cable is designed, hand built and tested in the UK and benefits from the latest XLPE insulation. Consistently high-quality performance in any environment and across all audio/video applications. Alongside the unique Chord Company ARAY geometry this upgraded mains cable features significantly heavier gauge conductors meaning less resistance and greater efficiency.	1m 1,5m 2m 3m Extra Meters	1299 1649 1949 2599 649

\*available in other lengths on request

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

APRIL 2024

(prices are subject to change without notice)



Sarum		Lengths	Euro's
	<p><b>Sarum T Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm</b> Common to the entire Sarum T portfolio, the unique Chord Company Taylor® insulation brings the proven advantages of phase stability to a far more affordable price point. Unique Super ARAY conductor geometry and high-performance Chord Company PTFE plug surrounds ensure Sarum T comes a close second to the ChordMusic. Also available as a tonearm version (from 1.2m). RCA/XLR/DIN connectors feature ChorAlloy™ plated contact areas.</p>	<p>1m Extra Meters TT Fly lead 1,2m</p>	<p>2599 1299 2899</p>
	<p><b>Sarum T Analogue XLR</b> Hand-made construction, like its range stablesmates, the Sarum T design and its myriad benefits make for an exceptional XLR cable. The hand-building process allows the factory technicians to carefully adapt the conductor layout for the XLR configuration. High-performance plugs offer a reassuringly secure connection.</p>	<p>1m Extra Meters</p>	<p>3899 1899</p>
	<p><b>Sarum T Digital RCA / BNC / XLR (AES-EBU)</b> The proprietary Chord Company Taylor® insulation and Super ARAY conductor technology is as relevant in digital cables as it is analogue - possibly more so, given the growing amount of digital sources. Trust Sarum T Digital with signal-carrying duties for complete assurance of an unadulterated transfer to and from digital devices without phase issues compromising sound quality.</p>	<p>1m Extra Meters</p>	<p>2599 1299</p>
	<p><b>Sarum T ARAY USB</b> USB cables built with Sarum T technologies deliver digital music at the highest level surpassed only by the flagship ChordMusic USB. ChorAlloy™ plated USB plug built to Chord Company's specification ensure perfect synergy with the hand-made interconnect featuring four separately shielded silver-plated conductors, protected with our advanced Taylor® insulation for unrivalled phase stability.</p>	<p>1m Extra Meters</p>	<p>2599 1299</p>
	<p><b>Sarum T Streaming</b> Protecting digital source signals is vitally important and Sarum T Streaming brings the advanced phase stability of our unique Taylor® insulation to streaming devices everywhere. Precision-made RJ45 connectors with gold-plated and soldered conductors, plus streaming specific Super ARAY conductor geometry to ensure benefits of this unique technology.</p>	<p>1m Extra Meters</p>	<p>2599 1299</p>
	<p><b>Sarum T speaker cable</b> The original Sarum speaker cable was designed to neither add nor subtract from the signal, and Sarum T speaker progresses the original brief, adding new materials and techniques to advance its capabilities. ChordOhmic loudspeaker plugs upgraded with ChorAlloy™ plating, a dedicated clamp, silver-plated-ribbon braid and a heavy foil shielding - all part of our ongoing obsession with the best possible sound.</p>	<p>2m pair* 3m pair* 5m pair* Extra Mono Meters</p>	<p>3999 5999 9999 999</p>
	<p><b>Sarum T speaker links</b> High-performance bi-wire speaker links to optimise performance where bi-wire speaker block terminals are used. Fitted with the next-generation, high-performance ChordOhmic banana plugs and spade connectors with ChorAlloy™ plating, the Sarum T speaker links ensure every drop of performance is extracted from both the speakers and the connecting cable. Length 280mm.</p>	<p>spade 2 4mm or spade 2 spade price includes 4 links</p>	<p>699</p>
	<p><b>Sarum T Power Cable</b> The perfect complement to Sarum T signal-carrying products, the power cable provides a super-high-quality build, with uncompromising materials and shielding to minimise the noise floor. All the internal elements use Taylor® to their best advantage, supplying expensive electronics with essential power. Also available in custom lengths, 10 or 16 amp IEC and with European or USA mains plugs</p>	<p>1m Extra Meters</p>	<p>2599 1299</p>

\*available in other lengths on request

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



MUSIC		Lengths	Euro's
	<p><b>ChordMusic 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm</b></p> <p>The most advanced Chord Company analogue interconnect in the company's history; the flagship analogue product for uncompromising signal transfer. Proprietary Taylon® phase-stable insulation, a specifically customised version of our unique Super ARAY conductor, plus the finest materials and craftsmanship available. Each cable is built by hand to order. RCA/XLR/DIN connectors feature ChorAlloy™ plated contact areas.</p>	<p>1m</p> <p>Extra Meters</p> <p>TT Fly lead</p> <p>1,2m</p>	<p>5199</p> <p>2599</p> <p>5699</p>
	<p><b>ChordMusic Analogue XLR</b></p> <p>With much high-end equipment also offering balanced connectivity options, ChordMusic XLR is an obvious choice. Hand-built to order, allowing the XLR wiring configuration to be carefully implemented, the balanced cable is the finest example of its kind in the portfolio. Taylon® phase-stable insulation perfectly complements the unique Super ARAY conductor technology. XLR connectors feature ChorAlloy™</p>	<p>1m</p> <p>Extra Meters</p>	<p>7799</p> <p>3899</p>
	<p><b>ChordMusic Digital RCA / BNC / XLR (AES-EBU)</b></p> <p>The finest digital cables in the portfolio, ChordMusic Digital delivers the finery of binary in its full undiluted glory. A digital cable that neither adds or extracts to the signal, it's a digital cable that carries music with a degree of accuracy that makes it as thrilling and profound as the analogue cables.</p>	<p>1m</p> <p>Extra Meters</p>	<p>5199</p> <p>2599</p>
	<p><b>ChordMusic Digital Streaming</b></p> <p>ChordMusic streaming cable delivers the very best performance to and from streaming enabled hardware, where the preservation of the original file is of utmost performance. ChordMusic's various technologies align for high-end audio streaming, bringing the benefits of the flagship Taylon® insulation and the Super ARAY conductor configuration.</p>	<p>1m</p> <p>Extra Meters</p>	<p>5199</p> <p>2599</p>
	<p><b>ChordMusic speaker cable</b></p> <p>High-end loudspeakers are a significant audio investment and feeding them with the best quality signal from the amplifier is critical for performance. The introduction of the phase-stable Taylon® insulation produces the most natural and uncoloured speaker cable possible. ChordMusic features Tuned ARAY conductor geometry, with obvious clarity and transparency benefits.</p>	<p>2m pair</p> <p>3m pair</p> <p>5m pair</p> <p>Extra Mono Meters</p>	<p>7999</p> <p>11999</p> <p>19999</p> <p>1999</p>
	<p><b>ChordMusic speaker links</b></p> <p>With most high-end speakers worthy of ChordMusic speaker cable having multiple drivers and bi- or even tri-wiring options, ChordMusic bi-wire speaker links provide a suitably high-end solution to the basic pins provided with the speaker terminal blocks. Designed to complement the speaker cables, the bi-wire links help deliver the full performance capability of the cable engineering. 280mm length</p>	<p>spade 2 4mm</p> <p>or</p> <p>spade 2 spade</p> <p>price includes</p> <p>4 links</p>	<p>1249</p>
	<p><b>ChordMusic Power Cable</b></p> <p>The flagship power cable, ChordMusic Power contains all of Chord Company's mains' cable know-how, gained over 35 years of UK cable manufacturing. A hybrid design using differing internal cables, shielding and ARAY configurations. All the internal elements use Taylon® and his insulation, combined with the optimum shielded design, redefines the musical performance.</p>	<p>1m</p> <p>Extra Meters</p>	<p>6199</p> <p>2599</p>

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



PowerHAUS			Euro's
	<p><b>PowerHAUS M6</b></p> <p>The flagship M6 offers the best performance and utilises three hybrid MainsARAY's fitted in parallel to the bus bars. PowerHAUS is non-switched, no active filters and neon power indicators which can generate noise and reduce quality. Their solid aluminium construction minimises the unwanted effects of microphony. A high performance 16-amp (C19) IEC allows the PowerHAUS to cope with the most demanding home systems. Standard C19 power cable included. Made in UK.</p>		3199
	<p><b>PowerHAUS S6</b></p> <p>The Chord Company PowerHAUS S6 mains block is the distillation of workin with signal and power transfer and benefits from a unique version of our acclaimed ARAY technology which has been specially adapted for power distribution. Standard C19 power cable included. Make in UK.</p>		1599
	<p><b>PowerHaus P6</b></p> <p>The P6 uses heavy-gauge internal cables and high-quality sockets, both chosen for their sound performance. These are complemented by a 16 amp IEC input socket suitable for even the most demanding systems. The solid construction also provides the optimum environment for the sophisticated internal cicuitry. C19 cable included.</p>		799
Burndy Bridge			
	<p>The Chord Company Bridge upgrades the lightweight, unshielded shorting plug supplied with NAIM AUDIO streaming equipment, offering a no-compromise, noise reduced connection. It features a machined heavy-gauge aluminium case for both acoustic and electrical isolation. The Taylon® insulated wiring and resin dampened internal assembly further increase this isolation. Available for: Type 3 en 4, NDX, N-DAC, N-272, HDX en SuperLine</p>		619
Burndy Cable			
	<p><b>ChordBurndy Cable X (XLPE)</b></p> <p>A clear upgrade path for anyone with Burndy-equipped devices. Chord Company Burndy cables are available in custom lengths and a wide variety of configurations. Designed to connect all compatible Naim Audio products, including the latest 12-way and 23 way (Type 3 and Type 4 equipped models) for example the NPX300.</p> <p>Every cable is hand built to order using multi-stranded sivler-plated OFC conductors with XLPLE insulation, complemented by high-density, silver-plated braid and foil combination HF shielding. These complex and delicate umbilical links are terminated with our unique, crimped Choralloy™ plated connector pins.</p> <p>Chord Company Burndy cables come in at different price levels depending on their complexity, the number of wires needed and material specification. 1,23m standard length, additional length on request</p>	<p>Type 3 1499</p> <p>Type 4 1899</p> <p>PS555 (No1) 1499</p> <p>PS555 (No2) 1099</p> <p>SXPS 1699</p> <p>NAC 252 2199</p> <p>NAC 52-52P 2299</p> <p>52 -SuperCa 2599</p> <p>SNAXO-SL 2399</p> <p>NAC 552 2699</p>	
	<p><b>ChordBurndy Cable T (Taylon®)</b></p> <p>A clear upgrade path for anyone with Burndy-equipped devices. Chord Company Burndy cables are available in custom lengths and a wide variety of configurations. Designed to connect all compatible Naim Audio products, including the latest 12-way and 23 way (Type 3 and Type 4 equipped models) for example the NPX300.</p> <p>Every cable is hand built to order using multi-stranded sivler-plated OFC conductors with Taylon® insulation, complemented by high-density, silver-plated braid and foil combination HF shielding. These complex and delicate umbilical links are terminated with our unique, crimped Choralloy™ plated connector pins.</p> <p>Chord Company Burndy cables come in at different price levels depending on their complexity, the number of wires needed and material specification. 1,23m standard length, additional length on request</p>	<p>Type 3 2999</p> <p>Type 4 3799</p> <p>PS555 (No1) 2999</p> <p>PS555 (No2) 2199</p> <p>SXPS 3399</p> <p>CDS 3799</p> <p>NAC 252 4299</p> <p>NAC 52-52P 4599</p> <p>52 -SuperCa 5099</p> <p>SNAXO-SL 4799</p> <p>NAC 552 5399</p> <p>NAP300 Pai 4399</p> <p>NAP 500 Pai 5499</p>	

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



ARAY			Euro's
	<p><b>GroundArray</b> Reduces the noise level in hifi products. Simply connect GroundARRAY to an empty socket on your hifi equipment. The advanced technologies provide a very low-impedance high-bandwidth route for HF noise to pass into, effectively 'pulling' noise from the signal ground of the host equipment. Works with different types of AV equipment, available with different plug adaptors.</p>	<p>HDMI RCA DIN BNC RJ45 XLR M or F USB Type-A</p>	669
	<p><b>PowerArray EU</b> Chord Company PowerARRAY is a next generation noise reduction/absorption device. PowerARRAY can be connected to unused mains power sockets (wall or distribution block) adjacent to those used to power your hi-fi equipment, providing a low-impedance escape route for HF Noise, reducing the amount entering a hi-fi system, lowering the noise floor and leaving more space for music</p>	EU Version	669
Transmission Fluid			
	<p><b>Transmission Fluid</b> Transmission Fluid work by deploying polymers to fill pits and imperfections on the surfaces of connections, creating a greater contact area and, therefore, improving the performance of the connection: the lower the resistance, the higher the current signal. Can be applied to all metal contacts, from speaker connections to interconnects.</p>		249
English Electric			
	<p><b>EE1</b> The EE1 network isolator is designed to sit discreetly between ethernet cables within a streaming audio/video system and can drastically reduce noise whilst allowing digital signals to pass unhindered. Digital signals are robust but are often accompanied by a degree of noise, usually transferred from home network devices. Hifi.nl 4 1/2* out of 5*</p>		299
	<p><b>EE 8Switch</b> The machined aluminium enclosure offers excellent protection from both acoustic and electrical noise. The AV-grade power adaptor has been designed to reduce electrical noise from AC power and prevent mains quality issues from affecting network signals. Eight audio grade 100/1000 T-base gigabit ports make it possible to connect even the most demanding streaming setups. Supplied with 0,75M C-stream.</p>	EU Version	599
	<p><b>EE 16Switch</b> The EE 16Switch is a two-zone, dual power supply, 16-port Gigabit Ethernet device, optimised for music and video streaming. The 16switch brings the proven benefits of the EE 8Switch to larger networks and features 2x independent rows of eight high quality Gigabit Ethernet ports, which can be used as two independent eight way switches or connected and used as one 16-way device.</p>	EU Version	1199
DC Power Cables for Rega			
	<p><b>Shawline DC cable for Rega PSU</b> The job of a turntable motor is to spin your record with minimum vibration, speed variation and noise. This new cable upgrade has been designed to reduce the pick up of interference noise. This new cable upgrade has been designed to reduce the pick up of interference/noise and features out acclaimed advanced shielding technology. High-speed, silver plated copper conductors. Twisted conductor pairs with single layer foil shield and overall single layer shield. FEP insulation.</p>	<p>1,5m Length Extra Meters</p>	<p>399 129</p>
	<p><b>Epic DC cable for Rega PSU</b> Rega owners are strongly recommended to give this a trial via participation Chord Company retailers. The cable has been designed to reduce the pick of interference noise. Epic DC cable takes this to new levels of performance. High-speed, silver plated copper conductors. High coverage dual layer shielded twisted conductor pairs with additional overall dual-layer foil shield. Foal PE insulation.</p>	<p>1,5m Length Extra Meters</p>	<p>799 249</p>

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411

# CHORD CABLE PRICE LIST

## APRIL 2024

(prices are subject to change without notice)

THE  
**CHORD**  
COMPANY



DC Power Cables for Plixir / Melco			
	<p><b>Shawline DC cable for Plixir</b> A Chord Company high-performance custom design. Our new range of DC cables started life as a special request from one of our distributors but proved to be so popular that we decided to put them in production for everyone else. Available in 2.1 or 2.5mm barrel.</p>	1m Length	319
	<p><b>Shawline DC cable for Melco S10</b> A Chord Company high-performance custom design. Our new range of DC cables started life as a special request from one of our distributors but proved to be so popular that we decided to put them in production for everyone else. This cable sits between PSU and Melco's 10 Ethernet Switch.</p>	1m Length	449
Installation / Legacy / AV Speaker Cable			
	<p><b>LeyLineX Installation Loudspeaker Cable 2 or 4 Core 152M Pull Box</b> LeyLine has been designed to bring out the best performance from today's increasingly sophisticated yet affordably priced electronics and loudspeakers and provide consistent and reliable service in environments where cables may be non-removable. The cable is metre-marked and is supplied in an easy access 152m pull box, it comes with a EN50575 DCA-S2, D2, A1 CPR rating. It also features a rip-cord to aid stripping the outer jacket and therefore ideal for installers.</p>	2 or 4 core version available	Price On Request
	<p><b>Sarsen Speaker Cable</b> Near-invisible speaker cable that won't spoil the sound of a decent hi-fi system. Flexible enough to fit between carpet and skirting board. Perfect for music lovers who think speaker cable should be heard and not seen. Sarsen is very flexible and only 3,2mm in diameter making it very easy to install. 18 AWG. 100M Reel.</p>	3m pair* mono m. spade extra price per piece labour costs	219 12,99 6,99 139
	<p><b>RumourX Speaker Cable</b> What HiFi? Speaker Cable Winner 2023. 6mm diameter, neutral and natural sounding speaker cable. Good enough to find its way into everything from lifestyle to seriously high-end audio systems. 16 AWG. 50m Reel.</p>	3m pair* mono m. spade extra price per piece labour costs	289 23,9 6,99 139
	<p><b>OdysseyX Speaker Cable</b> A heavier gauge version of Chord RumourX. High performance that brings control to pretty much any pair of speakers. This helps to bring more detail and dynamics to a system. Also allowing a degree of control and definition that can transform the performance of both floor and stand mounted loudspeakers. 12 AWG. 50m Reel.</p>	3m pair* mono m. spade extra price per piece labour costs	379 39,9 6,99 139
	<p><b>4mm plug termination kit</b> Sometimes it's not possible to use a pre-terminated speaker cable. Next best option is a set of our unique design 4mm banana plugs.</p>	Set of 4	23,9
Silent Mounts			
	<p><b>Silent Mount (Stainless Steel)</b> 4 x stainless steel spike mounts for racks or loudspeakers. Hand-crafted in Japan. Available in 50mm and 70mm diameter (for loudspeakers etc.)</p>	4 x 70mm di 4 x 50mm di	579 499
	<p><b>Silent Mount (Titanium)</b> 4 x titanium spike mounts for racks and components. Hand-crafted in Japan. 50mm diameter</p>	4 x 50mm di	799

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA  
Latham Audio B.V. [www.lathamaudio.nl](http://www.lathamaudio.nl) / Tel. +31(0)13-5082411